

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
23 May 2002 (23.05.2002)

PCT

(10) International Publication Number
WO 02/39834 A1

- (51) International Patent Classification⁷: **A23L 1/29**, 1/302, 1/304, A61K 35/74, A23L 1/03, A23C 9/123, A23L 1/0528
- (74) Agent: **LOCK, Graham, James**; Fry Heath & Spence, The Old College, 53 High Street, Horley, Surrey RH6 7BN (GB).
- (21) International Application Number: PCT/EP01/13302
- (22) International Filing Date:
14 November 2001 (14.11.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0027761.6 14 November 2000 (14.11.2000) GB
- (71) Applicant (for all designated States except US): **SOCIETE DES PRODUITS NESTLE S.A.** [CH/CH]; P.O. Box 353, CH-1800 Vevey (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **SPIVEY-KRO-BATH, Evelyn** [AT/CH]; La Carrougeoise, CH-1084 Carrouge (CH). **CAVADINI, Claude** [CH/CH]; Chemin du Levant 3, CH-1185 Mont-Sur-Rolle (CH). **HASCHKE, Ferdinand** [AT/ZA]; P.O. Box 50616 Nestlé, Hendrik Verwoerd Drive, 2125192 Randburg (ZA). **JAUSSAN, Veronique** [FR/FR]; 4, allée Felix Nadar, F-94300 Vincennes (FR). **SCHIFFRIN, Eduardo** [AR/CH]; Chemin de Riant-Mont 17, CH-1023 Crissier (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
- with international search report
 - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 02/39834 A1

(54) Title: NUTRITIONAL COMPOSITION FOR AN IMMUNE CONDITION

(57) Abstract: A nutritional composition is described for prevention or treatment of an immune condition. It comprises, in a broad definition, at least vitamin E, vitamin C, vitamin B6, folic acid, vitamin B12, copper, zinc, selenium, fructo-oligosaccharides and/or inulin, a probiotic lactic acid bacterium. For example, in an embodiment it comprises per 300g: 150IU Vitamin E, 120 mg Vitamin C, 2mg Vitamin B6, 400ug Folic acid, 3.8ug Vitamin B12, 1.5mg Copper, 15mg Zinc, 100ug Selenium, 3g Fructo-oligosaccharides and/or inulin, 10E10 cfu ST11 lactobacillus. A method for making it; use of it in the manufacture of a functional food or medication; and a method of prevention or treatment of an immune condition which comprises administering an effective amount of the composition are described.

Nutritional Composition For an Immune Condition

5 The present invention relates to a nutritional composition for prevention or treatment of an immune condition, a method of production of the composition, use of the composition in the manufacture of a functional food or medicament for the prevention or treatment of an immune condition and a method of treatment of an immune condition which comprises administering an effective amount of the composition.

10 Within the context of this specification the word "comprises" is taken to mean "includes, among other things". It is not intended to be construed as "consists of only".

15 Within the context of this specification the term "an immune condition" represents an ailment selected from the group which comprises an impaired immune response, an inflammatory condition, inflammation, chronic disease (for example arthritis or gastritis), conditions associated with aging and leading to an increase of inflammatory responses.

20 Americans greater than 65 years old, at the turn of the century, accounted for 4% of the US population; currently, they account for greater than 12% of the population. However, although they only account for 12% of the US population, they account for greater than 40% of acute hospital bed days, buy greater than 30% of all prescription drugs and spend 30% of the US health budget. Furthermore, it has been
25 estimated that in 2030, greater than 70 million Americans (1:5) will be over the age of 65, and those over 85 are expected to experience the highest percentage increase of all age groups.

30 As the average age of the population increases, obtaining a better understanding of the unique aspects of aging in relation to nutritional needs and treatment is imperative. Many physiologic functions decline progressively throughout adult life and have an impact on nutrition. For instance, a reduction in the number of functioning cells and the resultant slowing of metabolic processes results in a

decrease in caloric requirements among the elderly. Also, the reduction in physical activity that generally accompanies aging further decreases energy requirements. Merely decreasing the total caloric intake of an elderly patient may adversely affect their required nutrition. When the total caloric intake is reduced, the remaining food
5 intake must carefully insure a properly balanced intake of proteins, vitamins and minerals. To reduce caloric intake in the elderly, consumption of "empty" calories (i.e. fats) can be reduced and consumption of nutrient-dense foods (i.e. carbohydrates and proteins) can be increased.

10 While the nutritional needs of the mature adult differ from those of an adult, in health care settings, standard nutritional formulae are the primary form of elemental nutrition currently used. Naturally, standard formulae do not take into account the nutritional needs of an elderly patient. Standard products suffer from the problem that they must be supplemented with key micronutrients to compensate for common
15 deficiencies and metabolic changes of an elderly patient. Therefore, a need exists for a nutritional composition which meets the nutritional needs of an elderly patient.

In addition to the above problems, a composition is required to address the problems of immune conditions in the elderly as well as in clinical and performance settings,
20 for example, with regard to an athlete recovering from injury.

Furthermore, it is known that the effects of diet and nutritional supplements can play a role in improving the survival and quality of life. In particular, a need exists for a nutritional composition which can help to improve health, in particular with regard
25 to an immune condition.

Furthermore, it is known that the problem of an impaired immune response can be associated with aging, chronic pathological conditions and/or malnutrition. This problem has been partly addressed by providing nutritional supplements. However,
30 these supplements suffer from the problem that, generally, they are specific for certain ailments and do not provide good nutritional support for patients suffering from a more complicated combination of conditions. This is particularly relevant with respect to an elderly patient. In addition, the increase in the likelihood of

chronic disease such as arthritis, gastritis, etc, with age leads to an increase in inflammatory reactions.

5 Furthermore, a need exists for a nutritional composition which addresses the problems associated with infectious diarrhoea (rotavirus and bacterial infection), allergy, restoration of and maintenance of gut integrity, bacterial overgrowth, endotoxemia and gut permeability.

10 The present invention addresses the problems set out above.

Remarkably, a composition has now been found that can be used to provide nutrition to an elderly patient, as well as performance nutrition eg to an athlete, or clinical nutrition to a hospital patient.

15 Accordingly, in a first aspect, the present invention provides a composition which comprises a source of protein, a source of carbohydrate, a source of fat, a probiotic lactic acid bacterium and additionally fructo-oligosaccharides and/or inulin.

20 In a second aspect the invention provides a method of producing a composition according to an embodiment of the invention which comprises the step of blending the required nutrients together in the required amounts.

In a third aspect the invention provides use of a composition according to the invention in the prevention or treatment of an immune condition.

25 In a fourth aspect the invention provides use of a composition according to an embodiment of the invention in the manufacture of a functional food or a medicament for the prevention or treatment of an immune condition.

30 In a fifth aspect the invention provides a method of prevention or treatment of an immune condition which comprises administering an effective amount of a composition according to an embodiment of the invention.

Preferably, an embodiment of a composition according to the invention comprises one or more nutrients or minerals selected from the group consisting of vitamin E, vitamin C, vitamin B6, folic acid, vitamin B12, copper, zinc and selenium. More preferably, it comprises at least two of these nutrients or minerals. Even more preferably, it comprises at least three of these nutrients or minerals. Most preferably it includes all of these minerals or nutrients.

Preferably, an embodiment of a composition according to the invention additionally comprises one or more nutrients or minerals selected from the group consisting of calcium, phosphorus, magnesium, iron, vitamin A, vitamin B1, vitamin B2, niacin and vitamin D. More preferably, it comprises at least two of these nutrients or minerals. Even more preferably, it comprises at least three of these nutrients or minerals. Most preferably an embodiment of a composition according to the invention includes all of these minerals or nutrients.

Preferably, an embodiment of a composition according to the invention comprises calcium in the form of milk calcium or calcium derived from milk calcium.

Preferably, an embodiment of a composition according to the invention comprises one or more probiotic lactic acid bacteria selected from the group which consists of paracasei and johnsonii bacteria. More preferably, an embodiment of a composition according to the invention comprises one or more probiotic lactic acid bacteria selected from the group which consists of ST11 (deposited under the number NCCMI-2116) and La1 (deposited under the number NCCMI-1225).

Preferably, an embodiment of a composition according to the invention comprises the following masses or amounts of nutrients or minerals (if present) per 300g of the composition. Preferably, this is the amount of composition administered per day.

Vitamin E: preferably about 1 IU to about 400 IU, most preferably about 120 IU
Vitamin C: preferably about 6 mg to about 300 mg, most preferably about 120 mg
Vitamin B6: preferably about 0.17 mg to about 3 mg, most preferably about 2 mg
Folic acid: preferably about 40 ug to about 800 ug, most preferably about 400 ug

Vitamin B12: preferably about 0.24 mg to about 5mg, most preferably about 3.8 ug

Copper: preferably about 0.3 mg to about 3 mg, most preferably about 1.5 mg

Zinc: preferably about 1.5 mg to about 15 mg, most preferably about 15 mg

Selenium: preferably about 7 ug to about 300 ug, most preferably about 100 ug

5 Fructo-oligosaccharides and/or gum acacia: preferably about 4 g to about 50 g, most preferably about 6g

Lactic acid bacteria: preferably about 10E8 to about 10E12 cfu, most preferably about 10E10 cfu.

10 Preferably, an embodiment of a composition according to the invention comprises one or more nutrients selected from the following masses or amounts of nutrients or minerals (if present) per 300g of the composition. Preferably, this is the amount of composition administered per day.

15 calcium: about 100mg to about 300 mg, more preferably about 200mg;
phosphorus: about 50mg to about 615mg, more preferably about 150mg ;
magnesium: about 110mg to about 210mg, more preferably about 60mg;
vitamin A: about 1000IU to about 1500IU, more preferably about 1333IU;
vitamin D: about 50IU to about 150IU, more preferably about 100IU;
20 vitamin E: about 5.0 IU to about 150 IU, more preferably about 120IU;
vitamin C: about 30mg to about 500mg, more preferably about 120mg;
vitamin B1: about 0.1mg to about 2mg, more preferably about 0.25mg;
vitamin B2: about 0.1mg to about 0.6mg, more preferably about 0.3mg;
niacin: about 1.5mg to about 7.2mg, more preferably about 3mg;
25 vitamin B6: about 1.0mg to about 3.0mg, more preferably about 2mg;
folic acid: about 200ug to about 600ug, more preferably about 400ug;
vitamin B12: about 1.5ug to about 4.5ug, more preferably about 3.8ug;
iron: about 2.0mg to about 5mg, more preferably about 2.75mg; and
zinc: about 10mg to about 20mg, more preferably about 15mg.

30 Preferably, an embodiment of a composition according to the invention comprises gum acacia.

35 Preferably, an embodiment of a method according to the invention comprises the steps of blending the nutrients in the required amounts and extruding the blended mixture. More preferably it includes spray drying the mixture.

An advantage of the present invention is that it provides a nutritional composition that can be dissolved instantaneously in water to provide a beverage or soup. It does not require cooking.

5 Another advantage of the present invention is that it provides a single composition that can be adapted and administered simply in a food for the prevention or treatment an immune condition. The composition can be provided in clinical or performance nutrition settings and is particularly suitable for an elderly patient.

10 Advantages provided by the probiotic bacteria include prevention or inhibition of diarrhea brought about by pathogenic bacteria; prevention or inhibition of diarrhea, especially infections of intestinal cells by rotavirus; prevention of colonization of the intestine by pathogenic bacteria causing diarrhea; and an ability to adhere to and colonise the intestinal mucosa of a host organism.

15 Yet another advantage of the present invention is that it provides a composition beneficial for diabetics. This is due to the specific composition of macronutrients, protein, carbohydrate and fat which provides a low glycemic index.

20 Additional features and advantages of the present invention are described in, and will be apparent from the description of the presently preferred embodiments which are set out below.

25 For the purposes of clarity and a concise description features are described herein as part of the same or separate embodiments, however it will be appreciated that the scope of the invention may include embodiments having combinations of all or some of the features described.

30 In an embodiment, a nutritional composition comprises a source of protein. The protein source preferably provides about 5% to about 55% of the energy of the nutritional formula; for example about 20% to about 50%, preferably 26%, of the energy. Dietary protein is preferred as a source of protein. The dietary protein may be any suitable dietary protein; for example animal protein (such as milk protein,

meat protein or egg protein); vegetable protein (such as soy protein, wheat protein, rice protein, and pea protein); a mixture of free amino acids; or a combination thereof. Milk proteins such as casein, whey proteins and soy proteins are particularly preferred.

5

The composition also comprises a source of carbohydrates and a source of fat.

10

A fat source preferably provides about 5% to about 55% of the energy of the nutritional formula; for example about 20% to about 50%, preferably 23%, of the energy. Lipid making up the fat source may be any suitable fat or fat mixture. Vegetable fat is particularly suitable; for example soy oil, palm oil, coconut oil, safflower oil, sunflower oil, corn oil, canola oil, lecithins, and the like. Most preferably it is a mixture of canola and soy oils. Animal fat such as milk fat may also be added if desired.

15

20

25

Preferably the composition comprises saturated fat which preferably comprises about 1% to about 5%, more preferably 2.5% of the total energy of the product. Preferably it comprises monounsaturated fat which preferably comprises about 5% to about 15%, more preferably 9.9% of the total energy of the product. Preferably the composition comprises polyunsaturated fat which preferably comprises about 5% to about 15%, more preferably 10.1% of the total energy of the product. Preferably the composition comprises linoleic acid which preferably comprises about 5% to about 15%, more preferably 8.5% of the total energy of the product. Preferably the composition comprises linolenic acid which preferably comprises about 0.5% to about 5%, more preferably 1.6% of the total energy of the product. Preferably the ratio of linoleic acid to linolenic acid is about 3 to about 8, more preferably about 5.3.

30

A source of carbohydrate preferably provides about 40% to about 80%, more preferably about 51% of the energy of the nutritional composition. Any suitable carbohydrate may be used, for example sucrose, lactose, glucose, fructose, corn syrup solids, maltodextrin, or a mixture thereof.

This embodiment of the composition additionally comprises about 10^{10} cfu of paracasei or johnsonii probiotic lactic acid bacteria and about 6g of fructooligosaccharide and inulin per 300g of the composition.

5 Dietary fibre may also be added. Preferably dietary fibre provides up to about 5% of the energy of the nutritional composition. The dietary fibre may be from any suitable origin, preferably fructooligosaccharide, inulin, or a mixture thereof.

10 Additional suitable vitamins and minerals are included in the composition as described above.

Monosodium glutamate may be added as a flavour enhancer.

15 The nutritional composition is preferably enterally administrable; for example in the form of a powder, a liquid concentrate, or a ready-to-drink beverage. If it is desired to produce a powdered nutritional formula, the homogenized mixture is transferred to a suitable drying apparatus such as a spray drier or freeze drier and converted to powder.

20 Alternatively, a usual food product may be enriched with an embodiment of composition. For example, a fermented milk, a yogurt, a fresh cheese, a renneted milk, an article of confectionery, for example a sweet or sweetened beverage, a confectionery bar, breakfast cereal flakes or bars, a drink, milk powder, soy-based product, non-milk fermented product or a nutritional supplement for clinical
25 nutrition. Then, the amount of the composition added is preferably at least about 0.01% by weight.

The following examples are given by way of illustration only and in no way should be construed as limiting the subject matter of the present application. Percentages
30 and parts are by weight unless otherwise indicated.

Examples 1 and 2: Nutritional Compositions

Two nutritional compositions were made by blending the required constituents. Their compositions are indicated below in table 1. The compositions are intended to be consumed in the form of two oral supplements per day based on enriched beverages or milk product desserts. The total daily dose is intended to be
5 approximately 300g or 300ml of composition.

Table 1

	Daily dose 300ml/day	Daily dose 300ml/day
5	Energy P/L/C %TEI	480kcal (1.6kcal/ml) 26% / 24% / 51%
	Protein g/100 ml	10.5 (with 6.25 g soy protein)
	Fat g/100ml	4.16
	Carbohydrate g/100ml	20.6
10	in daily dose	per 300ml
	Na mg	188
	K mg	350
	Cl mg	290
	Ca mg	200
15	P mg	150
	Ca/P ratio	1.3
	Mg mg	60
	Mn ug	495
20	A IU	1333
	D IU	100
	E IU	120
	K1 ug	13.8
	C mg	120
	B1 mg	0.25
25	B2 mg	0.3
	Niacin mg	3
	B6 mg	2.0
	Folic acid ug	400
	Panto mg	1.00
30	B12 ug	3.8
	Biotin ug	7.5
	Fe mg	2.75
	I ug	75
	Cu mg	1.5
35	Zn mg	15
	Se ug	100
	Cr ug	12.5
	Mo ug	18.75
	Inulin & FOS blend (30:70 blend) g	6
40	Lactobacillus cfu/serving	Paracaseii 10 ¹⁰
		Johnsonii 10 ¹⁰

It should be understood that various changes and modifications to the presently preferred embodiments described herein will be apparent to those skilled in the art. Such changes and modifications can be made without departing from the spirit and

scope of the present invention and without diminishing its attendant advantages. It is therefore intended that such changes and modifications be covered by the appended claims.

Claims

1. A composition which comprises a source of protein, a source of carbohydrate, a source of fat, a probiotic lactic acid bacterium and additionally fructo-oligosaccharides and/or inulin.
2. A composition according to claim 1 which comprises one or more nutrients or minerals selected from the group consisting of vitamin E, vitamin C, vitamin B6, folic acid, vitamin B12, copper, zinc and selenium.
3. A composition according to claim 2 wherein the composition comprises at least three nutrients or minerals selected from the group consisting of vitamin E, vitamin C, vitamin B6, folic acid, vitamin B12, copper, zinc and selenium.
4. A composition according to claim 2 or 3 wherein the composition comprises vitamin E, vitamin C, vitamin B6, folic acid, vitamin B12, copper, zinc and selenium
5. A composition according to any preceding claim which comprises one or more nutrients or minerals selected from the group consisting of calcium, phosphorus, magnesium, iron, vitamin A, vitamin B1, vitamin B2, niacin and vitamin D.
6. A composition according to claim 5 wherein the composition comprises at least three nutrients or minerals selected from the group consisting of calcium, phosphorus, magnesium, iron, vitamin A, vitamin B1, vitamin B2, niacin and vitamin D.
7. A composition according to claim 5 or 6 wherein the composition comprises calcium, phosphorus, magnesium, iron, vitamin A, vitamin B1, vitamin B2, niacin and vitamin D.
8. A composition according to any one of claims 5 to 7 wherein calcium is in the form of milk calcium or calcium derived from milk calcium.

9. A composition according to any preceding claim which comprises one or more probiotic lactic acid bacterium selected from the group which consists of paracasei and johnsonii bacteria.
10. A composition according to claim 9 wherein the lactic acid bacterium is selected from the group consisting of ST11 (deposited under the number NCCMI-2116) and La1 (deposited under the number NCCMI-1225).
11. A composition according to any preceding claim wherein the composition comprises the following masses or amounts of nutrients or minerals (if present) per 300g of the composition:

Vitamin E: about 1 IU to about 400 IU,
Vitamin C: about 6 mg to about 300 mg,
Vitamin B6: about 0.17 mg to about 3 mg,
Folic acid: about 40 ug to about 800 ug,
Vitamin B12: about 0.24 mg to about 5mg,
Copper: about 0.3 mg to about 3 mg,
Zinc: about 1.5 mg to about 15 mg,
Selenium: about 7 ug to about 300 ug,
Fructo-oligosaccharides and/or inulin: about 4 g to about 50 g,
Lactic acid bacteria: about 10E8 to about 10E12 cfu.

12. A composition according to any preceding claim wherein the composition comprises the following masses or amounts of nutrients or minerals (if present) per 300g of the composition:

calcium: about 100mg to about 300 mg,
phosphorus: about 50mg to about 615mg,
magnesium: about 110mg to about 210mg,
vitamin A: about 1000IU to about 1500IU,
vitamin D: about 50IU to about 150IU,
vitamin E: about 5.0 IU to about 150 IU,

vitamin C: about 30mg to about 500mg,
vitamin B1: about 0.1mg to about 2mg,
vitamin B2: about 0.1mg to about 0.6mg,
niacin: about 1.5mg to about 7.2mg,
vitamin B6: about 1.0mg to about 3.0mg,
folic acid: about 200ug to about 600ug,
vitamin B12: about 1.5ug to about 4.5ug,
iron: about 2.0mg to about 5mg,
zinc: about 10mg to about 20mg.

13. A composition according to any preceding claim which comprises gum acacia.
14. A method of producing a composition according to any preceding claim which comprises the step of blending the required nutrients together in the required amounts.
15. A method according to claim 13 which comprises the additional steps of extruding the blended mixture and/or spray drying the mixture.
16. Use of a composition according to any one of claims 1 to 13 in the prevention or treatment of an immune condition.
17. Use of a composition according to any one of claims 1 to 13 in the manufacture of a functional food or a medicament for the prevention or treatment of an immune condition.
18. A method of prevention or treatment of an immune condition which comprises administering an effective amount of a composition according to any one of claims 1 to 13.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 01/13302

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23L1/29 A23L1/302 A23L1/304 A61K35/74 A23L1/03
A23C9/123 A23L1/0528

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L A61K A23C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, BIOSIS, MEDLINE, FSTA, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 904 784 A (NUTRICIA NV) 31 March 1999 (1999-03-31) column 1, line 3 -column 1, line 31 column 3, line 1 -column 3, line 18 column 4, line 47 -column 4, line 54 column 5, line 13 -column 5, line 50 column 6, line 44 -column 6, line 48 column 8, line 5 -column 8, line 33 claims 1,4,12	1-8, 11-14, 16-18
Y	--- -/--	9,10

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

30 April 2002

Date of mailing of the international search report

07/05/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Couzy, F

INTERNATIONAL SEARCH REPORT

 Int'l Application No
 PCT/EP 01/13302

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 093 425 A (KAMAREI A REZA) 25 July 2000 (2000-07-25) column 2, line 63 -column 3, line 19 column 4, line 61 -column 4, line 67 column 5, line 39 -column 7, line 58 example 4A; table 21 claims 1-32 ---	1-8, 11-14
X	WO 99 02170 A (NESTLE SA ;VEY ELISABETH (CH); BRASSART DOMINIQUE (CH)) 21 January 1999 (1999-01-21) page 3, line 9 -page 7, line 3 example 5 claims 1-8 ---	1-11,14
X	EP 0 704 164 A (FUJI OIL CO LTD ;TON CO LTD (JP)) 3 April 1996 (1996-04-03) page 2, line 40 -page 5, line 33 page 6, line 34 -page 6, line 47 examples 1-20 claims 1-10 ---	1,2,5,8, 9,14, 16-18
X	EP 0 609 056 A (KYOWA HAKKO KOGYO KK) 3 August 1994 (1994-08-03) page 2, line 40 -page 3, line 58 example 5 claims 1,4,5 ---	1-3,5,6, 9,14
X,P	WO 01 15714 A (ZLOTKIN STANLEY H) 8 March 2001 (2001-03-08) page 8, line 12 -page 9, line 7 page 10, line 20 -page 13, line 2 page 18, line 1 -page 18, line 20 example 9 claims 1-22 ---	1-8, 11-14, 16-18
X	EP 0 821 885 A (RAFFINERIE TIRLEMONTAISE SA) 4 February 1998 (1998-02-04) page 2, line 55 -page 3, line 51 claims 1,4-6,10,18,21,23 ---	1,8,14, 15
X	DATABASE WPI Section Ch, Week 199927 Derwent Publications Ltd., London, GB; Class B04, AN 1999-313647 XP002194844 & CN 1 208 620 A (CHEN X), 24 February 1999 (1999-02-24) abstract --- -/-	1,14, 16-18

INTERNATIONAL SEARCH REPORT

 Int lional Application No
 PCT/EP 01/13302

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SCHAAFSMA G ET AL: "EFFECTS OF A MILK PRODUCT, FERMENTED BY LACTOBACILLUS ACIDOPHILUS AND WITH FRUCTO-OLIGOSACCHARIDES ADDED, ON BLOOD LIPIDS IN MALE VOLUNTEERS" EUROPEAN JOURNAL OF CLINICAL NUTRITION, XX, XX, vol. 52, no. 6, June 1998 (1998-06), pages 436-440, XP002119336 page 437, column 2 ---	1-8,14
X	WO 99 47000 A (KAL KAN FOODS) 23 September 1999 (1999-09-23) page 5, line 4 -page 7, line 25 page 11, line 4 -page 11, line 7 page 13, line 19 -page 13, line 35 page 15, line 2 -page 15, line 5 page 18, line 17 -page 18, line 34 claims 1,12-14,36,38,56-58,70 ---	1-7,14, 15
X,P	DATABASE BIOSIS 'Online! BIOSCIENCES INFORMATION SERVICE, PHILADELPHIA, PA, US; SULLIVAN ASA ET AL: "Effect of Lactobacillus paracasei on intestinal colonisation of lactobacilli, bifidobacteria and clostridium difficile in elderly persons" " XP002194824 ---	1-9,14, 16-18
Y	DATABASE MEDLINE 'Online! NEMCOVA R ET AL: "Study of the effect of Lactobacillus paracasei and fructooligosaccharides on the faecal microflora in weanling piglets" XP002194825 abstract ---	1,9,10, 16-18
Y	WO 00 10402 A (STRONG MAXWELL JOHN ;ADVANCED NUTRITIONAL FOODS PTY (AU)) 2 March 2000 (2000-03-02) page 1, line 3 -page 1, line 7 page 7, line 7 -page 7, line 28 examples 1,2 ---	8
Y	SHIFFRIN EJ, BRASSART D, SERVIN AL, ROCHAT F, DONNET-HUGHES A: "Immune modulation of blood leukocytes in humans by lactic acid bacteria: criteria for strain selection" AMERICAN JOURNAL OF CLINICAL NUTRITION, vol. 66, 1997, page 515S-520S XP002194826 USA page 515S -page 517S page 519S ---	1-14, 16-18
-/--		

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP 01/13302

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>MARTEAU P, VAERMAN JP, DEHENNIN JP, BORD S, BRASSART D, POCHART P, DESJEUX JF, RAMBAUD JC: "Effects of intrajejunal perfusion and chronic ingestion of Lactobacillus johnsonii strain La 1 on serum concentrations and jejunal secretions of immunoglobulins and serum proteins in healthy humans" GASTROENTEROL. CLIN. BIOL, vol. 21, 1997, pages 293-298, XP001062975 Paris (F) page 294 page 297</p>	<p>1-14, 16-18</p>
Y	<p>WO 97 34615 A (ARNOTT S BISCUITS LTD ;BURNS PHILP & COMPANY LIMITED (AU); CONWAY) 25 September 1997 (1997-09-25) page 2, line 15 -page 4, line 2 page 5, line 7 -page 5, line 9 page 6, line 12 -page 6, line 27 claims 1,5-9,14</p>	<p>1-7,11, 12,14, 16-18</p>
X	<p>SPIEGEL J E ET AL: "SAFETY AND BENEFITS OF FRUCTOOLIGOSACCHARIDES AS FOOD INGREDIENTES" FOOD TECHNOLOGY, INSTITUTE OF FOOD TECHNOLOGISTS. CHICAGO, US, vol. 48, no. 1, 1994, pages 85-89, XP000423511 ISSN: 0015-6639 page 87 -page 88</p>	<p>1-8,14, 16-18</p>
A	<p>SANDERS M E: "PROBIOTICS" FOOD TECHNOLOGY, INSTITUTE OF FOOD TECHNOLOGISTS. CHICAGO, US, vol. 53, no. 11, November 1999 (1999-11), pages 67-75, XP000877806 ISSN: 0015-6639</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/13302

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0904784	A	31-03-1999	EP 0904784 A1	31-03-1999
US 6093425	A	25-07-2000	US 6030650 A	29-02-2000
			US 5985339 A	16-11-1999
			AU 5397699 A	17-11-2000
			WO 0065935 A1	09-11-2000
			US 6039985 A	21-03-2000
			US 6194009 B1	27-02-2001
WO 9902170	A	21-01-1999	AT 208205 T	15-11-2001
			AU 743914 B2	07-02-2002
			AU 8804598 A	08-02-1999
			BR 9810547 A	15-08-2000
			CN 1269724 T	11-10-2000
			DE 69802413 D1	13-12-2001
			DK 1003532 T3	07-01-2002
			WO 9902170 A1	21-01-1999
			EP 1003532 A1	31-05-2000
			HU 0003995 A2	28-03-2001
			JP 2002507997 T	12-03-2002
			NO 996214 A	15-12-1999
			PL 337967 A1	11-09-2000
			TR 200000021 T2	22-01-2001
			ZA 9805893 A	10-01-2000
EP 0704164	A	03-04-1996	JP 8126473 A	21-05-1996
			CN 1131511 A	25-09-1996
			EP 0704164 A2	03-04-1996
EP 0609056	A	03-08-1994	JP 6217710 A	09-08-1994
			CA 2114338 A1	28-07-1994
			DE 69422066 D1	20-01-2000
			DE 69422066 T2	24-08-2000
			EP 0609056 A2	03-08-1994
			US 5756088 A	26-05-1998
WO 0115714	A	08-03-2001	AU 6813000 A	26-03-2001
			WO 0115714 A1	08-03-2001
EP 0821885	A	04-02-1998	EP 0821885 A1	04-02-1998
			AU 727609 B2	14-12-2000
			AU 2871897 A	05-02-1998
			BR 9707104 A	12-09-2000
			CA 2211926 A1	31-01-1998
			JP 10179025 A	07-07-1998
			NZ 328405 A	28-10-1998
			PL 321416 A1	02-02-1998
CN 1208620	A	24-02-1999	NONE	
WO 9947000	A	23-09-1999	US 6117477 A	12-09-2000
			AU 2904699 A	11-10-1999
			BR 9908877 A	02-10-2001
			CA 2324013 A1	23-09-1999
			CN 1301134 T	27-06-2001
			EP 1063897 A1	03-01-2001
			JP 2002506620 T	05-03-2002
			WO 9947000 A1	23-09-1999

INTERNATIONAL SEARCH REPORT
 information on patent family members

International Application No
PCT/EP 01/13302

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9947000	A	US 6254910 B1	03-07-2001
		US 2001014360 A1	16-08-2001
		US 2002022079 A1	21-02-2002
WO 0010402	A	02-03-2000	
		AU 729588 B2	08-02-2001
		AU 5020799 A	14-03-2000
		WO 0010402 A1	02-03-2000
WO 9734615	A	EP 1104998 A1	13-06-2001
		25-09-1997	
		AU 705095 B2	13-05-1999
		AU 2018297 A	10-10-1997
		WO 9734615 A1	25-09-1997
		CA 2249361 A1	25-09-1997
		EP 0888118 A1	07-01-1999
		JP 2000506870 T	06-06-2000
		NZ 331950 A	28-02-2000
		US 6221350 B1	24-04-2001